

TRANSITIONING FROM ICD-9-CM TO ICD-10-CM

Resource Guide & Coding Crosswalk

Revised: August 2015



Provided as a service by Dominion Diagnostics

Disclaimer

The information provided within is taken from the official version of ICD-9-CM as published by the U.S. Government Printing Office. It is being provided by Dominion Diagnostics solely as a reference tool for its clients. The responsibility to select the appropriate diagnosis codes for purposes of reimbursement lies with the provider of the services.

Dominion Diagnostics makes no representations of warranties that the information provided is error-free or that the codes listed will be accepted by third-party payers, and shall bear no responsibility or liability arising out of the use of this information.

Table of Contents

Information on the ICD-10 Transition.....	4
FAQs: ICD-10 Transition Mapping Basics.....	5
Pain Management: Top 25 Mappings.....	9
Addiction Medicine: Top 25 Mappings.....	15
ICD-9-CM Resources for Pain Management.....	24
Fifth-Digit Subclassifications for Pain Conditions.....	30
ICD-9-CM Resources for Addiction Medicine and Behavioral Health.....	32
Fifth-Digit Subclassifications for Addiction Medicine and Behavioral Health.....	33
Contact Information: Dominion Diagnostics Billing Department.....	40

The ICD-10 Transition: An Introduction

On October 1, 2015, the ICD-9 code sets used to report medical diagnoses and inpatient procedures will be replaced by ICD-10 code sets. To accommodate the ICD-10 code structure, the transaction standards used for electronic health care claims, Version 4010/4010A, must be upgraded to Version 5010.

About ICD-10

ICD-10-CM/PCS (International Classification of Diseases, 10th Edition, Clinical Modification/Procedure Coding System) consists of two parts:

1. ICD-10-CM for diagnosis coding
2. ICD-10-PCS for inpatient procedure coding

ICD-10-CM is for use in all U.S. health care settings. Diagnosis coding under ICD-10-CM uses 3 to 7 digits instead of the 3 to 5 digits used with ICD-9-CM, but the format of the code sets is similar.

ICD-10-PCS is for use in U.S. inpatient hospital settings only. ICD-10-PCS uses 7 alphanumeric digits instead of the 3 or 4 numeric digits used under ICD-9-CM procedure coding. Coding under ICD-10-PCS is much more specific and substantially different from ICD-9-CM procedure coding.

The transition to ICD-10 is occurring because ICD-9 produces limited data about patients' medical conditions and hospital inpatient procedures. ICD-9 is over 30 years old, has outdated terms, and is inconsistent with current medical practice. Also, the structure of ICD-9 limits the number of new codes that can be created, and many ICD-9 categories are full.

IMPORTANT NOTE:

Your facility will have to provide the new ICD-10 codes to Dominion Diagnostics with each sample beginning in October 2015. Due to the high specificity of ICD-10, Dominion Diagnostics will be unable to translate former ICD-9 codes to ICD-10 codes.

FAQs: ICD-10 Transition Basics

Official CMS Industry Resources for the ICD-10 Transition

Resource: www.cms.gov/ICD10

1. What is the ICD-10 compliance date?

October 1, 2015

2. Will the transition to ICD-10 be postponed?

The October 1, 2015 compliance date is firm and there are no current plans to extend the deadline.

3. What does ICD-10 compliance mean?

ICD-10 compliance means that all Health Insurance Portability and Accountability Act (HIPAA) covered entities are able to successfully conduct health care transactions on or after October 1, 2015 using the ICD-10 diagnosis and procedure codes. ICD-9 diagnosis and procedure codes can no longer be used for health care services provided on or after this date.

4. Will ICD-10 replace Current Procedural Terminology (CPT) procedure coding?

No. This change does not affect CPT coding for outpatient procedures. ICD-10 procedure codes are for hospital inpatient procedures only.

5. Who is affected by the transition to ICD-10? If I don't deal with Medicare claims, will I have to transition?

Everyone covered by the HIPAA must transition to ICD-10 on October 1, 2015, including providers and payers who do not deal with Medicare claims.

6. Do state Medicaid programs need to transition to ICD-10?

Yes. Like all other HIPAA covered entities, state Medicaid programs must comply with ICD-10 by October 1, 2015. CMS is continuing to work with Medicaid programs to help ensure they meet the deadline.

7. What happens if I don't switch to ICD-10?

Claims for all services and hospital inpatient procedures provided on or after October 1, 2015, must use ICD-10 diagnosis and inpatient procedure codes. (This does not apply to CPT coding for outpatient procedures.) Claims that do not use ICD-10 diagnosis and inpatient procedure codes cannot be processed. It is important to note, however, that claims for services and inpatient procedures provided before October 1, 2015, must use ICD-9 codes even if they are submitted after the compliance date.

8. If I transition early to ICD-10, will CMS be able to process my claims?

No. CMS and other payers will not be able to process claims using ICD-10 until the October 1, 2015, compliance date.

9. Codes change every year, so why is the transition to ICD-10 any different from the annual code changes?

ICD-10 codes are different from ICD-9 codes. ICD-10 has a completely different structure from ICD-9. Currently, ICD-9 codes are mostly numeric and have 3 to 5 digits. ICD-10 codes will be alphanumeric and contain 3 to 7 characters. ICD-10 is more robust and descriptive with “one to many” matches in some instances. Like ICD-9 codes, ICD-10 codes will be updated every year.

10. Why is the transition to ICD-10 happening?

The transition is occurring because ICD-9 codes have limited data about patients’ medical conditions and hospital inpatient procedures. ICD-9 is 30 years old, has outdated and obsolete terms, and is inconsistent with current medical practice. Also, the structure of ICD-9 limits the number of new codes that can be created, and many ICD-9 categories are full. A successful transition to ICD-10 will be vital to transforming our nation’s health care system.

11. What should providers be doing to prepare for the transition?

Providers can begin to prepare by taking the following steps NOW:

- Talk with your billing service, clearinghouse, or practice management software vendor NOW
- Identify ICD-9 (and presumably ICD-10) touch points in your systems and business processes
- Identify needs and resources, such as training, printing, etc.

An ICD-10 transition plan should take into account specific practice or organization needs, vendor readiness, and staff knowledge and training.

Providers should check with their billing service, clearinghouse, or practice management software vendor about their readiness plans.

Providers who handle billing and software development internally, should plan for medical records/coding, clinical, IT, and finance staff to coordinate on ICD-10 transition efforts.

A successful transition to ICD-10 will be vital to transforming our nation’s health care system and essential to maintaining business operations. CMS has resources to help providers prepare for a smooth transition to Version 5010 and ICD-10. Visit <http://www.cms.gov/Medicare/Coding/ICD10/ProviderResources.html> to find out more. CMS will continue to add new information to the site through the course of the transition.

12. What should payers be doing to prepare for the transition?

The transition to ICD-10 will involve new coding rules, so it will be important for payers to review payment policies. Payers should ask software vendors about their readiness plans and timelines for product development, testing, availability, and training. Payers should have an ICD-10 implementation plan and a transition budget in place.

CMS has resources to help payers prepare for a smooth transition to Version 5010 and ICD-10. Visit http://www.cms.gov/Medicare/Coding/ICD10/Payer_Resources.html to find out more. CMS will continue to add new tools and information to the site through the course of the transition.

13. What should software vendors, clearinghouses, and third-party billing services be doing to prepare for the transition to ICD-10?

Software vendors, clearinghouses, and third-party billing services should talk to their customers NOW to get them ready so their claims will continue to be paid. Take a proactive role in assisting in the transition. Ask customers about their needs and establish a comprehensive approach that will deliver compatible products well ahead of the key transition deadlines. Develop testing guidelines and schedules. Products and services will be obsolete if steps are not taken now to get ready.

CMS has resources to help you and your customers prepare for a smooth transition to Version 5010 and ICD-10. Visit www.cms.gov/ICD10 to find out more. CMS will continue to add new tools and information to the site through the course of the transition.

14. Where can I find the ICD-10 code sets?

The ICD-10-CM and ICD-10-PCS code sets are available free of charge and can be found on the CMS Web site. For the ICD-10-CM (diagnosis) code sets and official guidelines for coding and reporting, visit www.cms.gov/ICD10.

15. Why should I start preparing now for the ICD-10 transition when it doesn't happen until October 2015?

The transition to ICD-10 is a major undertaking for providers, payers, and vendors. It will drive business and systems changes throughout the health care industry, from large national health plans to small provider offices, laboratories, medical testing centers, hospitals, and more. Plans need to devote staff time and financial resources to transition activities. The transition will go much more smoothly for organizations that have planned and prepared for it. A successful transition to ICD-10 will be vital to transforming our nation's health care system and ensuring uninterrupted operations.

16. What type of training will providers and staff need for the ICD-10 transition?

Training should be well underway in 2015 for most staff. Training needs will vary for different organizations. For example, physician practice coders will need to learn ICD-10 diagnosis coding only, while hospital coders will need to learn both ICD-10 diagnosis and ICD-10 inpatient procedure coding. Look for specialty-specific ICD-10 training offered by societies and other professional organizations. Take into account that ICD-10 coding training will be integrated into the CEUs that certified coders must take to maintain their credentials.

ICD-10 resources and training materials will be available through CMS, professional associations and societies, and software/system vendors.

Visit www.cms.gov/ICD10 regularly throughout the course of the transition to access the latest information on training opportunities.

Disclaimer: The ICD-10 FAQs were originally prepared by CMS for a fact sheet as a service to the health care industry and are not intended to grant rights or impose obligations. The information provided is only intended to be a general summary. It is not intended to take the place of either the written law or regulations. We encourage readers to review the specific statutes, regulations, and other interpretive materials for a full and accurate statement of their contents.

Pain Management | Top 25 Mappings

ICD-9-CM	Condition(s)	ICD-10-CM	Description
300.00	Anxiety State, Unspecified	F41.9	Anxiety Disorder Unspecified
304.00	Opioid Type Dependence Unspecified Abuse	F11.20	Opioid Dependence Uncomplicated
		F11.220	Opioid Dependence w/Intoxication Uncomplicated
		F11.221	Opioid Dependence w/ Intoxication Delirium
		F11.222	Opioid Depend w/ Intoxication w/ Perceptual Dist
		F11.229	Opioid Dependence w/ Intoxication Unspecified
		F11.23	Opioid Dependence w/ Withdrawal
		F11.24	Opioid Depend w/ Opioid-Induced Mood Disorder
		F11.250	Opioid Dpnd w/ Induced Psychot D/O w/ Delusions
		F11.251	Opioid Dpnd w/ Induced Psychot D/O w/ Hallucination
		F11.259	Opioid Depend w/ Opioid-Induced Psychot D/O Uns
		F11.281	Opioid Depend w/ Opioid-Induced Sexual Dysfunction
		F11.282	Opioid Depend w/ Opioid-Induced Sleep Disorder
		F11.288	Opioid Dependence w/ Other Opioid-Induced Disorder
		F11.29	Opioid Dependence w/Unspecified Opioid-Induced Disorder
304.01	Opioid Type Dependence Continuous Abuse	F11.20	Opioid Dependence Uncomplicated
304.90	Unspecified Drug Dependence Unspecified Abuse	F19.20	Other Psychoactive Substance Depend Uncomplicated
304.91	Unspecified Drug Dependence Continuous Abuse	F19.20	Other Psychoactive Substance Dependence Uncomplicated
338.29	Other Chronic Pain	G89.28	Other Chronic Post Procedural Pain
338.4	Chronic Pain Syndrome	G89.4	Chronic Pain Syndrome

ICD-9-CM	Condition(s)	ICD-10-CM	Description
719.41	Pain In Joint, Shoulder Region	M25.511	Pain In Right Shoulder
		M25.512	Pain In Left Shoulder
		M25.519	Pain In Unspecified Shoulder
719.46	Pain In Joint, Lower Leg	M25.561	Pain In Right Knee
		M25.562	Pain In Left Knee
		M25.569	Pain In Unspecified Knee
721.0	Cervical Spondylosis Without Myelopathy	M47.21	Other Spondylos Radiculopath Occipito-Atlanto-Axial
		M47.22	Other Spondylosis w/ Radiculopathy Cervical Region
		M47.23	Other Spondylosis w/ Radiculopathy Cervicothoracic
		M47.811	Spondylosis w/o Myelopathy/ Radiculopath OA-AX Region
		M47.812	Spondylosis NO Myelopathy/ Radiculopathy Cervical Region
		M47.813	Spondylosis w/o Myelopathy/ Radiculopathy Ct Region
		M47.891	Other Spondylosis Occipito-Atlanto-Axial Region
		M47.892	Other Spondylosis Cervical-Region
		M47.893	Other Spondylosis Cervicothoracic Region
		721.3	Lumbosacral Spondylosis Without Myelopathy
M47.27	Other Spondylosis w/ Radiculopathy Lumbosacral Rgn		
M47.28	Other Spondylosis Radiculopathy SAC & Sacrococcygeal		
M47.816	Spondylosis No Myelopathy/ Radiculopathy Lumb Rgn		
M47.817	Spondylosis w/o Myelopath/Radiculopath Lumbosac Rgn		
M47.818	Spondylosis No Myelopath/Radiculopath Sac & SC Rgn		
M47.896	Other Spondylosis Lumbar Region		
M47.897	Other Spondylosis Lumbosacral Region		
M47.898	Other Spondylosis Sacral & Sacrococcygeal Region		

ICD-9-CM	Condition(s)	ICD-10-CM	Description
722.10	Diplcmt Lumbar Intervert Disc w/o Melopathy	M51.26	Other Intervertebral Disc Displacement Lumbar Region
		M51.27	Other Intervertebral Disc Displacement Lumbosacral Region
722.4	Degeneration of Cervical Intervertebral Disc	M50.30	Other Cervical Disc Degeneration Uns Cervical Region
		M50.31	Other Cervical Disc Degeneration Occipito-Atlanto-Axial Region
		M50.32	Other Cervical Disc Degeneration Mid-Cervical Region
		M50.33	Other Cervical Disc Degeneration Cervicothoracic Region
722.52	Degen Lumbar/Lumbosacral Intervertebral Disc	M51.36	Other Intervertebral Disc Degen Lumbar Region
		M51.37	Other Intervertebral Disc Degen Lumbosacral Region
722.83	Postlaminectomy Syndrome Lumbar Region	M96.1	Postlaminectomy Syndrome NEC
723.1	Cervicalgia	M54.2	Cervicalgia
723.4	Brachial Neuritis Or Radiculitis Nos	M50.10	Cervical Disc D/O w/ Radiculopathy Uns Cervical Region
		M50.11	Cervical Disc D/O w/ Radiculopathy O-A-AX Region
		M50.12	Cervical Disc D/O w/ Radiculopathy Mid-Cervical Region
		M50.13	Cervical Disc D/O Radiculopathy Cervicothoracic Region
		M54.11	Radiculopathy Occipito-Atlanto-Axial Region
		M54.12	Radiculopathy Cervical Region
		M54.13	Radiculopathy Cervicothoracic Region
724.2	Lumbago	M54.5	Low Back Pain
724.4	Thoracic/Lumbosacral Neuritis/Radiculitis Unspec	M51.14	Intervertebral Disc D/O w/ Radiculopathy Thoracic
		M51.15	IV Disc D/O w/ Radiculopathy Thoracolumbar Region
		M51.16	Intervertebral Disc D/O w/ Radiculopathy Lumb Rgn

ICD-9-CM	Condition(s)	ICD-10-CM	Description
724.4	Thoracic/Lumbosacral Neuritis/Radiculitis Unspec (continued)	M51.17	IV Disc D/O w/ Radiculopathy Lumbosacral Region
		M54.14	Radiculopathy Thoracic Region
		M54.15	Radiculopathy Thoracolumbar Region
		M54.16	Radiculopathy Lumbar Region
		M54.17	Radiculopathy Lumbosacral Region
724.5	Unspecified Backache	M54.89	Other Dorsalgia
		M54.9	Dorsalgia Unspecified
729.1	Unspecified Myalgia and Myositis	M60.80	Other Myositis Unspecified Site
		M60.811	Other Myositis Right Shoulder
		M60.812	Other Myositis Left Shoulder
		M60.819	Other Myositis Unspecified Shoulder
		M60.821	Other Myositis Right Upper Arm
		M60.822	Other Myositis Left Upper Arm
		M60.829	Other Myositis Unspecified Upper Arm
		M60.831	Other Myositis Right Forearm
		M60.832	Other Myositis Left Forearm
		M60.839	Other Myositis Unspecified Forearm
		M60.841	Other Myositis Right Hand
		M60.842	Other Myositis Left Hand
		M60.849	Other Myositis Unspecified Hand
		M60.851	Other Myositis Right Thigh
		M60.852	Other Myositis Left Thigh
		M60.859	Other Myositis Unspecified Thigh
		M60.861	Other Myositis Right Lower Leg
		M60.862	Other Myositis Left Lower Leg
		M60.869	Other Myositis Unspecified Lower Leg
		M60.871	Other Myositis Right Ankle and Foot
M60.872	Other Myositis Left Ankle and Foot		

ICD-9-CM	Condition(s)	ICD-10-CM	Description
729.1	Unspecified Myalgia and Myositis (continued)	M60.879	Other Myositis Unspecified Ankle and Foot
		M60.88	Other Myositis Other Site
		M60.89	Other Myositis Multiple Sites
		M60.9	Other Myositis Unspecified
		M79.1	Myalgia
		M79.7	Fibromyalgia
729.5	Pain In Soft Tissues Of Limb	M79.601	Pain In Right Arm
		M79.602	Pain In Left Arm
		M79.603	Pain In Arm Unspecified
		M79.604	Pain In Right Leg
		M79.605	Pain In Left Leg
		M79.606	Pain In Left Unspecified
		M79.609	Pain In Unspecified Limb
		M79.621	Pain In Right Upper Arm
		M79.622	Pain In Left Upper Arm
		M79.629	Pain In Unspecified Upper Arm
		M79.631	Pain In Right Forearm
		M79.632	Pain In Left Forearm
		M79.639	Pain In Unspecified Forearm
		M79.641	Pain In Right Hand
		M79.642	Pain In Left Hand
		M79.643	Pain In Unspecified Hand
		M79.644	Pain In Right Fingers
		M79.645	Pain In Left Fingers
		M79.646	Pain in Unspecified Finger(s)
		M79.651	Pain In Right Thigh
		M79.652	Pain In Left Thigh
		M79.659	Pain In Unspecified Thigh
		M79.661	Pain In Right Lower Leg
		M79.662	Pain in Left Lower Leg
		M79.669	Pain In Unspecified Lower Leg
		M79.671	Pain In Right Foot
M79.672	Pain In Left Foot		
M79.673	Pain In Unspecified Foot		
M79.674	Pain In Right Toes		
M79.675	Pain In Left Toes		
M79.676	Pain In Unspecified Toes		

ICD-9-CM	Condition(s)	ICD-10-CM	Description
784.0	Headache	G44.10	Vascular Headache NEC Not Intractable
		G44.11	Vascular Headache NEC Intractable
		R51	Headache
847.2	Lumbar Sprain and Stain	S33.5xxA	Sprain Ligaments Lumbar Spine Initial Encounter
V58.69	Encounter For Long-Term Use Of Other Medications	Z79.3	Long Term Current Use Of Hormonal Contraceptives
		Z79.891	Long Term Current Use Of Opiate Analgesic
		Z79.899	Other Long Term Current Drug Therapy
V58.83	Encounter For Therapeutic Drug Monitoring	Z51.81	Encounter For Therapeutic Drug Level Monitoring

Addiction Medicine | Top 25 Mappings

ICD-9-CM	Condition(s)	ICD-10-CM	Description
292.9	Unspecified Drug-Induced Mental Disorder	F10.19	Alcohol Abuse W/ Uns Alcohol-Induced Disorder
		F10.29	Alcohol Dependence W/ Uns Alcohol-Induced D/O
		F11.19	Opioid Abuse W/ Uns Opioid-Induced Disorder
		F11.29	Opioid Dependence w/ Uns Opioid-Induced Disorder
		F11.90	Opioid Use Unspecified Uncomplicated
		F11.99	Opioid Use Uns w/ Uns Opioid-Induced Disorder
		F12.19	Cannabis Abuse w/ Uns Cannabis-Induced Disorder
		F12.29	Cannabis Depend w/ Uns Cannabis-Induced Disorder
		F12.99	Cannabis Use Uns w/ Uns Cannabis-Induced Disorder
		F13.19	Sedat Hypnot/Anxiolytic Abuse w/ Uns Induced D/O
		F13.29	Sedat Hypnot/Anxiolytic Dependence w/ Uns Induced D/O
		F13.90	Sedative Hypnotic/Anxiolytic Use Uns Uncomp
		F13.99	Sedative Hypnot/Anxiolytic Use Uns w/ Uns Induced D/O
		F14.19	Cocaine Abuse w/ Uns Cocaine-Induced Disorder
		F14.29	Cocaine Dependence w/ Uns Cocaine-Induced Disorder
		F14.90	Cocaine Use Unspecified Uncomplicated
		F14.99	Cocaine Use Uns w/ Uns Cocaine-Induced Disorder
		F15.19	Other Stimulant Abuse w/ Uns Induced Disorder
		F15.29	Other Stimulant Depend w/ Uns Induced Disorder
		F15.90	Other Stimulant Use Unspecified Uncomplicated
		F15.99	Other Stimulant Use w/ Uns Induced Disorder
		F16.19	Hallucinogen Abuse w/ Uns Induced Disorder

ICD-9-CM	Condition(s)	ICD-10-CM	Description
292.9	Unspecified Drug-Induced Mental Disorder (continued)	F16.29	Hallucinogen Depend w/ Uns Induced Disorder
		F16.90	Hallucinogen Use Unspecified Uncomplicated
		F16.99	Hallucinogen Use Uns w/ Uns Induced Disorder
		F17.209	Nicotine Depend Uns w/ Uns Nicotine-Induced D/O
		F17.219	Nicotine Depend Cig w/ Uns Nicotine-Induced D/O
		F17.229	Nicotine Depend Chew Tobacco W/ Uns Nic-Induced D/O
		F17.299	Nicotine Depend Oth Tobacco Prod W/ Uns Induced D/O
		F18.19	Inhalant Abuse w/ Uns Inhalant-Induced Disorder
		F18.29	Inhalant Depend w/ Uns Inhalant-Induced Disorder
		F18.99	Inhalant Use Uns w/ Uns Inhalant-Induced Disorder
		F19.19	Oth Psychoactive Sbstnc Abuse w/ Uns Induced D/O
		F19.29	Oth Psychoactive Sbstnc Depend w/ Uns Induced D/O
		F19.90	Oth Psychoactive Substance Use Uns Uncomplicated
		F19.99	Oth Psychoactive Sbstnc Use Uns w/ Uns Induced D/O
		295.30	Paranoid Schizophrenia Unspecified Condition
295.70	Schizoaffective Disorder Unspecified	F25.0	Schizoaffective Disorder, Bipolar Type
		F25.1	Schizoaffective Disorder, Depressive Type
		F25.8	Other Schizoaffective Disorders
		F25.9	Schizoaffective Disorder, Unspecified
296.32	Major Depressive Affective Disorder Recurrent Episode Moderate Degree	F33.1	Major depressive disorder, recurrent, moderate
296.33	Maj Dprsv D/o Recur Epis Sev w/o Psychot Bhv	F33.2	Major Depressive Disorder Recurrent Severe w/o Psychot

ICD-9-CM	Condition(s)	ICD-10-CM	Description
296.80	Bipolar Disorder Unspecified	F31.9	Bipolar disorder, unspecified
296.90	Unspecified Episodic Mood Disorder	F39	Unspecified Mood Affective Disorder
300.02	Generalized Anxiety Disorder	F41.1	Generalized anxiety disorder
303.00	Acute Alcoholic Intoxication in Alcoholism Unspecified Drinking Behavior	F10.220	Alcohol dependence with intoxication, uncomplicated
		F10.229	Alcohol dependence with intoxication, unspecified
303.90	Other & Unspecified Alcohol Dependence Unspecified Drunkenness	F10.20	Alcohol Dependence Uncomplicated
303.91	Other & Unspec Alcohol Dependence Cont Drunkenness	F10.20	Alcohol Dependence Uncomplicated
303.93	Other & Unspecified Alcohol Dependence Remission	F10.21	Alcohol Dependence In Remission
304.00	Opioid Type Dependence Unspecified Abuse	F11.20	Opioid Dependence Uncomplicated
		F11.221	Opioid Dependence w/ Intoxication Delirium
		F11.222	Opioid Depend w/ Intoxication w/ Perceptual Dist
		F11.229	Opioid Dependence With Intoxication Unspecified
		F11.23	Opioid Dependence With Withdrawal
		F11.24	Opioid Depend w/ Opioid-Induced Mood Disorder
		F11.250	Opioid Dpnd w/ Induced Psychot D/O w/Delusions
		F11.251	Opioid Dpnd w/ Induced Psychot D/O w/Hallucination
		F11.259	Opioid Depend w/ Opioid-Induced Psychot D/O UNS
		F11.281	Opioid Depend w/ Opioid-Induced Sexual Dysf
		F11.282	Opioid Depend w/ Opioid-Induced Sleep Disorder
F11.288	Opioid Dependence w/ Oth Opioid-Induced Disorder		

ICD-9-CM	Condition(s)	ICD-10-CM	Description
304.00	Opioid Type Dependence Unspecified Abuse (continued)	F11.29	Opioid Dependence w/ Uns Opioid-Induced Disorder
304.01	Opioid Type Dependence Continuous Abuse	F11.20	Opioid Dependence Uncomplicated
304.02	Opioid Type Dependence Episodic Abuse	F11.20	Opioid Dependence Uncomplicated
304.03	Opioid Type Dependence in Remission	F11.21	Opioid Dependence In Remission
304.10	Sedative Hypnotic/Anxiolytic Dependence Unspec	F13.20	Sedative Hypnotic/Anxiolytic Depend Uncomp
		F13.220	Sedat Hypnot/Anxiolytic Depend w/ Intox Uncomp
		F13.221	Sedat Hypnot/Anxiolytic Depend w/ Intox Delirium
		F13.229	Sedat Hypnot/Anxiolytic Dpnd w/ Intoxication Uns
		F13.230	Sedat Hypnot/Anxiolytic Dpnd w/ Withdrawal Uncomp
		F13.231	Sedat Hypnot/Anxiolytic Dpnd w/ Withdrawal Delirium
		F13.232	Sedat Hypnot/Anxiolytic Dpnd w/ D w/Perceptual Dist
		F13.239	Sedat Hypnot/Anxiolytic Depend w/ Withdrawal Uns
		F13.24	Sedat Hypnot/Anxiolytic Depend w/ Induced Mood D/O
		F13.250	Sedat Hypnot/Anxiolytic Dpnd Ind Psychot D/O Del
		F13.251	Sed Hypnot/Anxiolyt Dpnd Ind Psychot D/O Halluc
		F13.259	Sedat Hypnot/Anxiolytic Dpnd Ind Psychot D/O Uns
		F13.26	Sedat Hypnot/Anxiolytic Dpnd Ind Persist Amnes D/O
		F13.27	Sedat Hypnot/Anxiolytic Dpnd Induced Persist Dement
		F13.280	Sedat Hypnot/Anxiolytic Depend Induced Anxiety D/O
		F13.281	Sedat Hypnot/Anxiolytic Depend w/ Induced Sexl Dysf
		F13.282	Sedat Hypnot/Anxiolytic Depend w/ Induced Sleep D/O

ICD-9-CM	Condition(s)	ICD-10-CM	Description
304.10	Sedative Hypnotic/Anxiolytic Dependence Unspec (continued)	F13.288	Sedat Hypnot/Anxiolytic Depend w/ Oth Induced D/O
		F13.29	Sedat Hypnot/Anxiolytic Depend w/ Uns Induced D/O
304.20	Cocaine Dependence Unspecified Abuse	F14.20	Cocaine Dependence Uncomplicated
		F14.220	Cocaine Dependence W/ Intoxication Uncomplicated
		F14.221	Cocaine Dependence With Intoxication Delirium
		F14.222	Cocaine Depend W/ Intoxication W/ Perceptual Dist
		F14.229	Cocaine Dependence With Intoxication Unspecified
		F14.23	Cocaine Dependence With Withdrawal
		F14.24	Cocaine Depend W/Cocaine-Induced Mood Disorder
		F14.250	Cocaine Depend W/ Induced Psychot D/O W/ Delusions
		F14.251	Cocaine Depend W/ Induced Psychot D/O W/ Hallucinations
		F14.259	Cocaine Depend W/ Cocaine-Induced Psychot D/O UNS
		F14.280	Cocaine Depend W/ Cocaine-Induced Anxiety Disorder
		F14.281	Cocaine Depend W/ Cocaine-Induced Sexual Dysf
		F14.282	Cocaine Depend W/ Cocaine-Induced Sleep Disorder
		F14.288	Cocaine Depend W/ Oth Cocaine-Induced Disorder
		F14.29	Cocaine Depend W/ Uns Cocaine-Induced Disorder
304.30	Cannabis Dependence Unspecified Abuse	F12.20	Cannabis Dependence Uncomplicated
		F12.220	Cannabis Depend w/ Intoxication Uncomplicated
		F12.221	Cannabis Dependence w/ Intoxication Delirium
		F12.222	Cannabis Depend w/ Intoxication w/ Perceptual Distance
		F12.229	Cannabis Depend w/ Intoxication Unspecified

ICD-9-CM	Condition(s)	ICD-10-CM	Description
304.30	Cannabis Dependence Unspecified Abuse (continued)	F12.250	Cannabis Depend w/ Psychotic Disorder w/ Delusions
		F12.251	Cannabis Depend W/ Psychotic D/O W/ Hallucinations
		F12.259	Cannabis Depend W/ Psychotic Disorder Uns
		F12.280	Cannabis Depend W/Cannabis-Induced Anxiety D/O
		F12.288	Cannabis Depend W/ Oth Cannabis-Induced Disorder
		F12.29	Cannabis Depend W/ Uns Cannabis-Induced Disorder
		304.31	Cannabis Dependence Continuous Abuse
304.40	Amphet & Other Psycho stimulant Dependence Unspec Abs	F15.20	Other Stimulant Dependence Uncomplicated
		F15.220	Other Stimulant Depend W/ Intoxication Uncomplicated
		F15.221	Oth Stimulant Dependence W/ Intoxication Delirium
		F15.222	Oth Stimulant Dependence Intoxication W/ Perceptual Dist
		F15.229	Other Stimulant Dependence W/ Intoxication UNS
		F15.23	Other Stimulant Dependence With Withdrawal
		F15.24	Oth Stimulant Depend W/ Induced Mood Disorder
		F15.250	Oth Stimulant Depend W/ Induced Psychot D/O W/Del
		F15.251	Oth Stimulant Depend Induced Psychot D/O W/ Halluc
		F15.259	Oth Stimulant Depend W/ Induced Psychot D/O Uns
		F15.280	Oth Stimulant Depend W/ Induced Anxiety Disorder
		F15.281	Oth Stimulant Depend W/ Induced Sexl Dysfunction
		F15.282	Oth Stimulant Depend W/ Induced Sleep Disorder
		F15.288	Oth Stimulant Depend W/ Other Induced Disorder
		F15.29	Oth Stimulant Depend W/ Uns Induced Disorder

ICD-9-CM	Condition(s)	ICD-10-CM	Description
304.50	Hallucinogen Dependence Unspecified Abuse	F16.20	Hallucinogen Dependence Uncomplicated
		F16.220	Hallucinogen Dependence with Intoxication, Uncomplicated
		F16.221	Hallucinogen Dependence with Intoxication with Delirium
		F16.229	Hallucinogen Dependence with Intoxication, Unspecified
		F16.24	Hallucinogen Dependence with Hallucinogen-Induced Mood Disorder
		F16.250	Hallucinogen Dependence w Psychotic Disorder w Delusions
		F16.251	Hallucinogen Dependence w Psychotic Disorder w Hallucin
		F16.259	Hallucinogen Dependence w Psychotic Disorder Unspecified
		F16.280	Hallucinogen Dependence w Anxiety Disorder
		F16.283	Hallucinogen Dependence w Hallucinogen Persisting Perception Disorder
		F16.288	Hallucinogen Dependence w Oth Hallucinogen-Induced Disorder
304.63	Other Specified Drug Dependence in Remission	F19.21	Other psychoactive substance dependence, in remission
		F18.21	Inhalant dependence, in remission
304.70	Combinations of Opioid Type Drug with Any Other Drug Dependence Unspecified Use	F19.20	Other psychoactive substance dependence, uncomplicated
304.80	Comb Drug Dependence Excl Opioid Drug Unspec Abs	F19.20	Oth Psychoactive Substance Depend Uncomplicated
304.90	Unspecified Drug Dependence Unspecified Abuse	F19.20	Oth Psychoactive Substance Depend Uncomplicated
305.00	Nondependent Alcohol Abuse Unspec Drunkenness	F10.10	Alcohol Abuse Uncomplicated
		F10.120	Alcohol Abuse With Intoxication Uncomplicated

ICD-9-CM	Condition(s)	ICD-10-CM	Description
305.1	Nondependent Tobacco Use Disorder	F17.200	Nicotine dependence, unspecified, uncomplicated
		F17.201	Nicotine dependence, unspecified, in remission
		F17.210	Nicotine dependence, cigarettes, uncomplicated
		F17.211	Nicotine dependence, cigarettes, in remission
		F17.220	Nicotine dependence, chewing tobacco, uncomplicated
		F17.221	Nicotine dependence, chewing tobacco, in remission
		F17.290	Nicotine dependence, other tobacco product, uncomplicated
		F17.291	Nicotine dependence, other tobacco product, in remission
305.20	Nondependent Cannabis Abuse Unspecified	F12.10	Cannabis Abuse Uncomplicated
		F12.90	Cannabis Use Unspecified Uncomplicated
305.40	Nondep Sedative Hypno/Anxlytic Abs Unsp Pat Use	F13.10	Sedative, Hypnotic or Anxiolytic Abuse, Uncomplicated
		F13.120	Sedatv/Hyp/Anxiolytic Abuse w Intoxication, Uncomplicated
		F13.90	Sedative, Hypnotic or Anxiolytic Abuse, Unspecified, Uncomplicated
305.50	Nondependent Opioid Abuse Unspecified	F11.10	Opioid Abuse Uncomplicated
		F11.120	Opioid Abuse With Intoxication Uncomplicated
		F11.129	Opioid Abuse With Intoxication Unspecified
305.60	Nondependent Cocaine Abuse Unspecified	F14.10	Cocaine Abuse Uncomplicated
		F14.120	Cocaine Abuse With Intoxication Uncomplicated
305.70	Nondependent Amphetamine/Related Act Sympath Abs Uns Pat Use	F15.10	Other stimulant abuse, uncomplicated
		F15.120	Other stimulant abuse with intoxication, uncomplicated
		F15.90	Other stimulant use, unspecified, uncomplicated

ICD-9-CM	Condition(s)	ICD-10-CM	Description
305.90	Oth Mixed/Unspec Nondependent Drug Abuse Unspec	F18.10	Inhalant Abuse Uncomplicated
		F18.120	Inhalant Abuse With Intoxication Uncomplicated
		F18.90	Inhalant Use Unspecified Uncomplicated
		F55.0	Abuse Of Antacids
		F55.1	Abuse Of Herbal Or Folk Remedies
		F55.2	Abuse Of Laxatives
		F55.3	Abuse Of Steroids Or Hormones
		F55.4	Abuse Of Vitamins
		F55.8	Abuse Of Other Non-Psychoactive Substances
309.81	Posttraumatic Stress Disorder	F43.10	Post-Traumatic Stress Disorder Unspecified
		F43.11	Post-Traumatic Stress Disorder Acute
		F43.12	Post-Traumatic Stress Disorder Chronic
311	Depressive Disorder Not Elsewhere Classified	F32.9	Major Depressive Disorder Single Episode Uns
314.00	Attention Deficit Disorder of Childhood without Hyperactivity	F90.0	Attention-deficit hyperactivity disorder, predom inattentive type
		F90.9	Attention-deficit hyperactivity disorder, unspecified type
314.00	Attention Deficit Disorder of Childhood with Hyperactivity	F90.0	Attention-deficit hyperactivity disorder, predominantly inattentive type
		F90.1	Attention-deficit hyperactivity disorder, predominantly hyperactive type
		F90.2	Attention-deficit hyperactivity disorder, combined type
		F90.8	Attention-deficit hyperactivity disorder, other type
V71.09	Observation Of Other Suspected Mental Condition	Z03.89	Enc Observation Oth SPCT DZ & Cond Ruled Out
V71.9	Observation for Unspecified Suspected Condition	Z04.9	Encounter for examination and observation for unspecified reason

Pain(s)

789.0*	Abdominal	351.8	Nerve
625.9	Adnexa (uteri)	625.9	Female genital organ NEC
557.9	Alimentary, due to vascular insufficiency	307.89	Psychogenic
786.51	Anginoid (see also Pain, precordial)	729.1	Fibromyalgia
569.42	Anus	729.5	Finger
729.5	Arch	789.0*	Flank
729.5	Arm	729.5	Foot
729.5	Axillary	575.9	Gallbladder
724.5	Back (postural)	787.3	Gas (intestinal)
724.4	Low	536.8	Gastric
307.89	Psychogenic	780.96	Generalized Genital organ
576.9	Bile duct	625.9	Female
788.99	Bladder	608.9	Male
733.90	Bone	307.89	Psychogenic
611.71	Breast	789.0*	Groin
307.89	Psychogenic	781.99	Growing
625.9	Broad ligament	729.5	Hand
733.90	Cartilage NEC	784.0	Head (see also Headache, Migraine)
789.0*	Cecum (see p. 11)	784.0	Headache
723.3	Cervicobrachial	346.2*	Allergic
786.50	Chest (central)	346.2*	Cluster
786.59	Atypical		Due to
786.51	Midsternal	349.0	Loss, spinal fluid
786.59	Musculoskeletal	349.0	Lumbar puncture
786.59	Noncardiac	349.0	Saddle block
786.51	Substernal	307.81	Emotional
786.52	Wall (anterior)	346.2*	Histamine
338.29	Chronic	349.0	Lumbar puncture
	Associated with significant psychosocial dysfunction	627.2	Menopausal
338.4	Due to trauma	346.9*	Migraine (see also Migraine)
338.28	Postoperative	307.81	Nonorganic origin
338.22	Post-thoracotomy	349.0	Postspinal
338.4	Syndrome	307.81	Psychogenic
724.79	Coccyx	307.81	Psychophysilogic
789.0*	Colon	346.1*	Sick
576.9	Common duct	349.0	Spinal
	Coronary – see Angina	668.8*	Complicating labor and delivery
786.52	Costochondral	668.8*	Postpartum
786.52	Diaphragm	349.0	Spinal fluid loss
	Due to (presence of) any device, implant, or graft classifiable to 996.0-996.5 – see Complications, due to (presence of) any device, implant, or graft classified to 996.0-996.5 NEC	307.81	Tension
388.70	Ear (see also Otagia)	784.0	Vascular
789.06	Epigastric, epigastrium	346.9*	Migraine type
729.5	Extremity (lower) (upper)	346.9*	Vasomotor
379.91	Eye	350.1	Infraorbital (see also Neuralgia, trigeminal)
784.0	Face, facial	625.2	Intermenstrual
350.2	Atypical	784.92	Jaw
		719.40	Joint
		719.47	Ankle
		719.42	Elbow
		719.47	Foot
		719.44	Hand
		719.45	Hip
		719.46	Knee
		719.45	Multiple sites
		719.45	Pelvic region

* Requires v5th Digit Subclassifications - See Pages 30-31

307.89	Psychogenic
719.41	Shoulder (region)
719.48	Specified site NEC
719.43	Wrist
788.0	Kidney
784.1	Laryngeal
729.5	Leg
729.5	Limb
724.2	Low back
724.2	Lumbar region
784.92	Mandible, Mandibular
388.70	Mastoid (see also Otolgia)
784.92	Maxilla
625.3	Menstrual
719.44	Metacarpophalangeal (joint)
719.47	Metatarsophalangeal (joint)
346.9*	Migraine (idiopathic)
346.0*	With aura
346.2*	Abdominal (syndrome)
346.2*	Allergic (histamine)
346.1*	Atypical
346.2*	Basilar
346.0*	Classical
346.1*	Common
346.8*	Hemiplegic
346.2*	Lower-half
625.4	Premenstrual
346.8*	Ophthalmic
346.8*	Ophthalmoplegic
346.2*	Retinal
346.2*	Variant
528.9	Mouth
729.1	Muscle
786.59	Intercostals
478.19	Nasal
478.29	Nasopharynx
723.1	Neck NEC
307.89	Psychogenic
729.2	Nerve NEC

NEURALGIA

729.2	Neuralgia, neuralgic (acute) – see also Neuritis
352.4	Accessory (nerve)
388.5	Acoustic (nerve)
355.8	Ankle
355.8	Anterior crural
787.99	Anus
723.4	Arm
388.5	Auditory (nerve)
353.0	Axilla
788.1	Bladder

723.4	Brachial
	Brain – see Disorder, nerve, cranial
625.9	Broad ligament
	Cerebral – see Disorder, nerve, cranial
339.00	Ciliary
	Cranial nerve (<i>see also</i> Disorder, nerve, cranial)
350.1	Fifth or Trigeminal (<i>see also</i> Neuralgia, trigeminal)
250.6*	Diabetic
	Due to
249.6*	Secondary diabetes
265.0	Beriberi
	Displacement, prolapsed, protrusion, or rupture of intervertebral disc
722.2	
722.0	Cervical
722.10	Lumbar, lumbosacral
722.11	Thoracic, thoracolumbar
722.2	Herniation, nucleus
722.0	Cervical
722.10	Lumbar, lumbosacral
722.11	Thoracic, thoracolumbar
388.71	Ear
352.1	Middle
351.8	Facial
354.9	Finger
355.8	Flank
355.8	Foot
354.9	Forearm
350.1	Fothergill's (<i>see also</i> Neuralgia, trigeminal)
053.12	Postherpetic
352.1	Glossopharyngeal (nerve)
355.8	Groin
354.9	Hand
355.8	Heel
339.00	Horton's
053.11	Hunt's
352.5	Hypoglossal (nerve)
355.8	Iliac region
350.1	Infraorbital (<i>see also</i> Neuralgia, trigeminal)
355.8	Inguinal
353.8	Intercostal (nerve)
053.19	Postherpetic
352.1	Jaw
788.0	Kidney
355.8	Knee
355.8	Loin

* Requires v5th Digit Subclassifications - See Pages 30-31

084.6	Malarial (<i>see also</i> Malaria)
385.89	Mastoid
352.1	Maxilla
354.1	Median thenar
355.6	Metatarsal
352.1	Middle ear
339.00	Migrainous
355.6	Morton's
	Nerve, cranial – <i>see</i> Disorder, nerve, cranial
352.0	Nose
723.8	Occipital
352.0	Olfactory (nerve)
377.30	Ophthalmic
053.19	postherpetic
377.30	Optic (nerve)
607.9	Penis
355.8	Perineum
511.0	Pleura
053.19	Postherpetic NEC
053.11	Geniculate/Ganglion
053.19	Ophthalmic
053.12	Trifacial
053.12	Trigeminal
355.8	Pubic region
723.4	Radial (nerve)
787.99	Rectum
724.3	Sacroiliac joint
724.3	Sciatic (nerve)
608.9	Scrotum
608.9	Seminal vesicle
354.9	Shoulder
337.09	Sluder's
	Specified nerve NEC – <i>see</i> Disorder, nerve
608.9	Spermatic cord
337.09	Sphenopalatine (ganglion)
723.4	Subscapular (nerve)
723.4	Suprascapular (nerve)
608.89	Testis
354.1	Thenar (median)
355.8	Thigh
352.5	Tongue
	Trifacial (nerve) (<i>see also</i> Neuralgia, trigeminal)
350.1	Trigeminal (nerve)
053.12	postherpetic
388.71	Tympanic plexus
723.4	Ulnar (nerve)
352.3	Vagus (nerve)
354.9	Wrist
300.89	Writers'
333.84	Organic

NEUROPATHY

355.9	Neuropathy, neuropathic – <i>see also</i> Disorder, nerve
357.82	Acute motor
357.5	Alcoholic
291.1	With psychosis
354.9	Arm NEC
	Ataxia and retinitis pigmentosa (NARP syndrome)
277.87	Autonomic (peripheral) – <i>see</i> Neuropathy, peripheral, autonomic
353.0	Axillary nerve
353.0	Brachial plexus
353.2	Cervical plexus
	Chronic
357.89	Progressive segmentally demyelinating
357.89	Relapsing demyelinating
356.2	Congenital sensory
356.0	Dejerine-Sottas
250.6	Diabetic (<i>see</i> 357.2)
	Autonomic (peripheral) (<i>see</i> 337.1)
249.6	Due to secondary diabetes (<i>see</i> 357.2)
249.6	Autonomic (peripheral) (<i>see</i> 337.1)
355.9	Entrapment
355.79	Iliohypogastric nerve
355.79	Ilioinguinal nerve
355.1	Lateral cutaneous nerve of thigh
354.0	Median nerve
355.79	Obturator nerve
355.3	Peroneal nerve
355.5	Posterior tibial nerve
355.79	Saphenous nerve
354.2	Ulnar nerve
351.9	Facial nerve
356.9	Hereditary
356.0	Peripheral
356.2	Sensory (radicular)
	Hypertrophic
356.1	Charcot-Marie-Tooth
356.0	Dejerine-Sottas
356.9	Interstitial
356.3	Refsum
354.8	Intercostal nerve
	Ischemic – <i>see</i> Disorder, nerve
357.7	Jamaican (ginger)
355.8	Leg NEC
355.8	Lower extremity NEC

*Requires v5th Digit Subclassifications - See Pages 30-31

353.1	Lumbar plexus
354.1	Median nerve
	Motor
357.82	Acute
356.9	Multiple (acute) (chronic) (<i>see also</i> Poly- neuropathy)
377.39	Optic
377.41	Ischemic
377.33	Nutritional
377.34	Toxic
356.9	Peripheral (nerve) (<i>see also</i> Polyneuropathy)
354.9	Arm NEC
337.9	Autonomic
277.39	Amyloid (<i>see</i> 337.1)
337.00	Idiopathic
	In
277.39	Amyloidosis (<i>see</i> 337.1)
250.6*	Diabetes (mellitus) (<i>see</i> 337.1)
249.6*	Due to second- ary diabetes (<i>see</i> 337.1)
337.1	Diseases classified elsewhere
274.89	Gout (<i>see</i> 337.1)
242.9*	Hyperthyroidism (<i>see</i> 337.1)
	Due to
357.6	Antitetanus serum
357.7	Arsenic
357.6	Drugs
357.7	Lead
357.7	Organophosphate compounds
357.7	Toxic agent NEC
356.0	Hereditary
356.9	Idiopathic
356.4	Progressive
356.8	Specified type NEC
	In diseases classified elsewhere – <i>see</i> Poly- neurotherapy, in
355.8	Leg NEC
355.8	Lower extremity NEC
354.9	Upper extremity NEC
355.6	Plantar nerves
	Progressive
356.9	Hypertrophic inter- stitial
357.89	Inflammatory
729.2	Radicular NEC
723.4	Brachial
723.4	Cervical NEC
356.2	Hereditary sensory
724.4	Lumbar
724.4	Lumbosacral
724.4	Thoracic NEC
353.1	Sacral plexus

355.0	Sciatic
355.9	Spinal nerve NEC
729.2	Root (<i>see also</i> Radicu- litis)
357.7	Toxic
350.8	Trigeminal sensory
354.2	Ulnar nerve
354.9	Upper extremity NEC
585.9	Uremic (<i>see</i> 357.4)
266.2	Vitamin B ₁₂ (<i>see</i> 357.4)
281.0	With anemia (perni- cious) (<i>see</i> 357.4)
281.1	Due to dietary defi- ciency (<i>see</i> 357.4)
729.1	Neuromuscular
478.19	Nose
379.91	Ocular
379.91	Orbital region
733.90	Osteoepic
625.9	Ovary
307.89	Psychogenic
625.2	Ovulation
625.9	Pelvic (female)
789.0*	Male NEC
307.89	Psychogenic
307.89	Psychogenic
607.9	Penis
307.89	Psychogenic
726.90	Periarthritis (joint)
726.2	Duplay's
098.50	Gonococcal
726.2	Humeroscapularis
726.2	Scapulohumeral
726.2	Shoulder
726.4	Wrist
478.29	Pharynx
786.52	Pleura, pleural, pleuritic
388.70	Preauricular
786.51	Precordial (region)
307.89	Psychogenic
307.80	Psychogenic
307.89	Cardiovascular system
307.89	Gastrointestinal system
307.89	Genitourinary system
307.89	Heart
307.89	Musculoskeletal system
306.3	Skin
729.2	Radicular (spinal) (<i>see also</i> Radiculitis)

RADICULITIS

729.2	Radiculitis (pressure) (vertebrogenic)
723.4	Accessory nerve
724.4	Anterior crural
723.4	Arm
723.4	Brachial

*Requires v5th Digit Subclassifications - See Pages 30-31

723.4	Cervical NEC Due to displacement of intervertebral disc – <i>see</i> Neuritis, due to, displacement of intervertebral disc
724.4	Leg
724.4	Lumbar NEC
724.4	Lumbosacral
729.2	Rheumatic
094.89	Syphilitic
724.4	Thoracic (with visceral pain)
569.42	Rectum
786.52	Respiration
786.51	Retrosternal
729.0	Rheumatic NEC
729.1	Muscular

RHEUMATISM

729.0	Rheumatism, rheumatic (acute NEC)
393	Adherent pericardium Arthritis Acute or subacute – <i>see</i> Fever, rheumatic
714.0	Chronic
720.0	Spine
716.9*	Articular (chronic) NEC (<i>see also</i> Arthritis) Acute or subacute – <i>see</i> Fever, rheumatic
724.9	Back
098.59	Blennorrhagic Carditis – <i>see</i> Disease, heart, rheumatic Chorea (acute) – <i>see</i> Chorea, Rheumatic
729.0	Chronic NEC
391.9	Coronary arteritis
398.99	Chronic Degeneration, myocardium (<i>see also</i> Degeneration, myocardium, with rheumatic fever)
398.0	
114.0	Desert
098.59	Gonococcal
714.50	Gout
	Heart Disease (<i>see also</i> Disease, heart, rheumatic)
398.90	
398.91	Failure (chronic) (congestive) (inactive)
729.0	Intercostal

733.6	Meaning Tietze's disease Joint (chronic) NEC (<i>see also</i> Arthritis)
716.9*	Acute – <i>see</i> Fever, rheumatic
	Mediastinopericarditis – <i>see</i> Rheumatic, pericarditis
729.0	Muscular
398.0	Myocardial degeneration (<i>see also</i> Degeneration, myocardium, with rheumatic fever)
398.0	Myocarditis (chronic) (inactive) (with chorea)
391.2	Active or acute With chorea (acute) (rheumatic) (Sydenham's)
392.0	
729.1	Myositis
724.9	Neck
729.0	Neuralgic
729.2	Neuritis (acute) (chronic)
729.0	Neuromuscular Nodose – <i>see</i> Arthritis, nodosa
729.0	Nonarticular
719.30	Palindromic
719.37	Ankle
719.32	Elbow
719.37	Foot
719.34	Hand
719.35	Hip
719.36	Knee
719.39	Multiple sites
719.35	Pelvic region
719.31	Shoulder (region)
719.38	Specified site NEC
719.33	Wrist
391.8	Pancarditis, acute With chorea (acute) (rheumatic) (Sydenham's)
392.0	
398.99	Chronic or inactive With chorea (acute) (rheumatic) (Sydenham's)
392.0	
393	Chronic or inactive
714.0	Polyarthritis - chronic
716.9*	Polyarticular NEC (<i>see also</i> Arthritis)
306.0	Psychogenic
729.2	Radiculitis
724.3	Sciatic
724.9	Spine
729.0	Subacute NEC
723.5	Torticollis
002.0	Typhoid fever

*Requires v5th Digit Subclassifications - See Pages 30-31

786.50	Rib
729.2	Root (spinal) (see also Radiculitis)
625.9	Round ligament (stretch)
724.6	Sacroiliac
724.6	Sciatic
608.9	Scrotum
307.89	Psychogenic
478.1	Sinus
782.0	Skin
729.2	Spinal root (see also Radiculitis)
625.9	Stomach
307.89	Psychogenic
786.51	Substernal
524.62	Temporomandibular (joint)
524.62	Temporomaxillary joint
608.9	Testis
307.89	Psychogenic
724.1	Thoracic spine
724.4	With radicular and visceral pain
784.1	Throat
733.90	Tibia
729.5	Toe
529.6	Tongue
525.9	Tooth
996.77	Total Hip Replacement
996.77	Total Knee Replacement
350.1	Trigeminal (see also Neuralgia, trigeminal)
789.05	Umbilicus
788.0	Ureter
788.0	Urinary (organ) (system)
325.9	Uterus
307.89	Psychogenic
625.9	Vagina
724.5	Vertebrogenic (syndrome)
788.99	Vesical
625.9	Vulva
733.90	Xiphoid

V58.69 [^]	Long-term (current) use of other medications (high risk medications)
---------------------	---

[^] Secondary Use Code Only When Applicable

V58.83 [^]	Encounter for therapeutic drug monitoring <i>DEF: Drug Monitoring: Measurement of the level of a specific drug in the body or measurement of a specific function to assess effectiveness of a drug.</i>
---------------------	---

[^] Secondary Use Code Only When Applicable

*** Requires v5th Digit Subclassifications - See Pages 30-31**

Fifth-Digit Subclassifications for Pain Conditions

789 Other symptoms involving abdomen and pelvis:

EXCLUDES symptoms referable to genital organs: female (625.0-625.9), male (607.0-608.9), psychogenic (302.70-302.79)

The following fifth-digit subclassification is to be used for codes 789.0, 789.3, 789.4, 789.6:

0	unspecified site
1	right upper quadrant
2	left upper quadrant
3	right lower quadrant
4	left lower quadrant
5	periumbrilic
6	epigastric
7	generalized
9	other specified site

346 Migraine

The following fifth digit subclassification is for use with category 346:

0	without mention of intractable migraine
1	with intractable migraine, so stated

668 Complications of the administration of anesthetic or other sedation in labor and delivery

The following fifth digit subclassification is for use with categories 660-669 to denote the current episode of care:

0	unspecified as to episode of care or not applicable
1	delivered, with or without mention of antepartum condition
2	delivered, with mention of postpartum complication
3	antepartum condition or complication
4	postpartum condition or complication

250 Diabetes mellitus

The following fifth-digit subclassification is for use with category 250:

0	type II or unspecified type, not stated as uncontrolled
1	type I (juvenile type), not stated as uncontrolled
2	type II or unspecified type, uncontrolled
3	type I (juvenile type), uncontrolled

249 Secondary diabetes mellitus

The following fifth-digit subclassification is for use with category 249:

0	not stated as uncontrolled, or unspecified
1	uncontrolled

242 Thyrotoxicosis with or without goiter

The following fifth-digit subclassification is for use with category 242:

- 0 without mention of thyrotoxic crisis or storm**
- 1 with mention of thyrotoxic crisis or storm**

716 Other and unspecified arthropathies

The following fifth-digit subclassification is for use with category 716:

- 0 site unspecified**
- 1 shoulder region**
- 2 upper arm**
- 3 forearm**
- 4 hand**
- 5 pelvic region and thigh**
- 6 lower leg**
- 7 ankle and foot**
- 8 other specified sites**
- 9 multiple sites**

Addiction Medicine and Behavioral Health Condition(s)

303.0*	Acute Alcohol Intoxication
303.0*	Alcohol Dependence Syndrome
291.0	Alcohol induced mental disorders:
291.0	Alcohol withdrawal delirium
291.1	Alcohol induced persisting amnestic disorder
291.2	Alcohol induced persisting dementia
291.3	Alcohol induced psychotic disorder with hallucinations
291.4	Idiosyncratic alcohol intoxication
291.5	Alcohol induced psychotic disorder with delusions
291.8*	Other specified alcohol induced mental disorders:
291.81	Alcohol withdrawal
291.82	Alcohol induced sleep disorders
291.89	Other
291.9	Unspecified alcohol induced mental disorders
303.9*	Alcohol, Other and unspecified
304*	Drug Dependence
304.4*	Amphetamine and other psycho-stimulant
304.3*	Cannabis
304.2*	Cocaine
304.7*	Combinations of opioid type drug with any other
304.8*	Combinations excluding opioid type drug
304.5*	Hallucinogen
304.0*	Opioid type
304.1*	Sedative, hypnotic, or anxiolytic
304.9*	Unspecified drug dependence
304.6*	Other specified drug dependence
292	Drug Induced Mental Disorders
292.0	Drug withdrawal
292.1	Drug induced psychotic disorders:
292.11	With delusions
292.12	With hallucinations

292.8	Other, specified:
292.81	Drug induced delirium
292.82	Drug induced persisting dementia
292.83	Drug induced persisting amnestic disorders
292.84	Drug induced mood disorders
292.85	Drug induced sleep disorders
292.89	Other
292.2	Pathological drug intoxication
292.9	Unspecified drug induced mental disorders
305*	Nondependent abuse of drugs
305.0*	Alcohol abuse
305.7*	Amphetamine or related acting sympathomimetic abuse
305.8*	Antidepressant type
305.2*	Cannabis
305.6*	Cocaine
305.3*	Hallucinogen
305.5*	Opioid
305.9*	Other, mixed, or unspecified
305.4*	Sedative, hypnotic, or anxiolytic
305.1*	Tobacco

*Requires v5th Digit Subclassifications - See Pages 33-38

Fifth-Digit Subclassifications for Addiction, Behavioral Health and Mental Health Conditions

303 Alcohol Dependence Syndrome

304 Drug Dependence

305 Nondependent abuse of drugs

The following fifth-digit subclassification is to be used with categories 303, 304, and 305:

0	unspecified
1	continuous
2	episodic
3	in remission

√4th 295 Schizophrenic disorders

Includes schizophrenia of the types described in 295.0-295.9 occurring in children

Excludes *childhood type schizophrenia (299.9) infantile autism (299.0)*

The following fifth-digit subclassification is for use with category 295:

0	unspecified
1	subchronic
2	chronic
3	subchronic with acute exacerbation
4	chronic with acute exacerbation
5	in remission

DEF: Group of disorders with disturbances in thought (delusions, hallucinations), mood (blunted, flattened, inappropriate affect), sense of self, relationship to world; also bizarre, purposeless behavior, repetitious activity, or inactivity.

√5th 295.0 Simple type

Schizophrenia simplex

Excludes latent schizophrenia (295.5)

√5th 295.1 Disorganized type

Hebephrenia

Hebephrenic type schizophrenia

DEF: Inappropriate behavior; results in extreme incoherence and disorganized of time, place and sense of social appropriateness; withdrawal from routine social interaction may occur.

√5th 295.2 Catatonic type

Catatonic (schizophrenia):

- agitation
- excitation
- excited type
- stupor
- withdrawn type

Schizophrenic:

cataplexy
catatonia
flexibilitas cerea

DEF: Extreme changes in motor activity; one extreme is decreased response or reaction to the environment and the other is spontaneous activity.

√4th **296 Episodic mood disorders**

Includes episodic affective disorders

Excludes *neurotic depression (300.3) reactive depression psychosis (298.0)
reactive excitation (298.1)*

The following fifth-digit subclassification is for use with categories 296.0-296.6:

- 0 unspecified**
- 1 mild**
- 2 moderate**
- 3 severe, without mention of psychotic behavior**
- 4 severe, specified as with psychotic behavior**
- 5 in partial or unspecified remission**
- 6 in full remission**

AHA: M-A, '85, 14

√5th **296.0 Bipolar I disorder, single manic episode**

Hypomania (mild) NOS

Hypomanic psychosis

Mania (monopolar) NOS

Manic-depressive psychosis or reaction:

hypomanic

manic

Excludes *circular type, if there was a previous attack of depression (296.4)*

DEF: Mood disorder identified by hyperactivity; may show extreme agitation or exaggerated excitability; speech and thought processes may be accelerated.

√5th **296.1 Manic disorder, recurrent episode**

Any condition classifiable to 296.0 stated to be recurrent

Excludes *circular type, if there was a previous attack of depression (296.4)*

√5th **296.2 Major depressive disorder, single episode**

Depressive psychosis

Endogenous depression

Involutional melancholia

Manic-depressive psychosis or reaction, depressed type

Monopolar depression

Psychotic depression

Excludes *circular type, if previous attack was of manic type (296.5)*

depression NOS (311) reactive depression (neurotic) (300.4)

psychotic (298.0)

DEF: Mood disorder that produces depression; may exhibit as sadness, low self-esteem, or guilt feelings; other manifestations may be withdrawal from friends and family; interrupted normal sleep.

√5th **296.3 Major depressive disorder, recurrent episode**

Any condition classifiable to 296.2, stated to be recurrent

Excludes *circular type, if previous attack was a manic type (296.5)*
depression NOS (311)
reactive depression (neurotic) (300.4)
psychotic (298.0)

√5th **296.4 Bipolar I disorder most recent episode (or current) manic**

Bipolar disorder, now manic

Manic-depressive psychosis, circular type but currently depressed

Excludes *brief compensatory or rebound mood swings (296.99)*

√5th **296.5 Bipolar I disorder, most recent episode (or current) depressed**

Bipolar disorder, now depressed

Manic-depressive psychosis, circular type but currently depressed

Excludes *brief compensatory or rebound mood swings (296.99)*

√5th **296.6 Bipolar I disorder, most recent episode (or current) mixed**

Manic-depressive psychosis, circular type, mixed

296.7 Bipolar I disorder, most recent episode (or current) unspecified

Atypical bipolar affective disorder NOS

Manic-depressive psychosis, circular type, current condition not specified as either manic or depressive

DEF: Manic-depressive disorder referred to as bipolar: because of the mood range from manic to depressive.

√5th **296.8 Other and unspecified bipolar disorders**

296.80 Bipolar disorder, unspecified

Bipolar disorder NOS

Manic-depressive:

 reaction NOS

 syndrome NOS

296.81 Atypical manic disorder

296.82 Atypical depressive disorder

296.89 Other

Bipolar II disorder

Manic-depressive psychosis, mixed type

√5th **296.9 Other and unspecified episode mood disorder**

Excludes *psychogenic affective psychoses (298.0-298.8)*

296.90 Unspecified episode mood disorder

Affective psychosis NOS

Melancholia NOS

Mood disorder NOS

AHA: M-A, '85, 14

296.99 Other specified episode mood disorder

Mood swings

Brief compensatory

Rebound

√4th **300 Anxiety, dissociative and somatoform disorders**

√5th **300.0 Anxiety states**

Excludes *anxiety in:*

acute stress reaction (308.0) transient adjustment reaction (309.24) neurasthenia (300.5) psychophysiological disorders (306.0-306.9) separation anxiety (309.21)

DEF: Mental disorders characterized by anxiety and avoidance behavior not particularly related to any specific situation or stimulus; symptoms include emotional instability, apprehension, fatigue.

300.00 Anxiety state, unspecified

Anxiety: Anxiety:
neurosis state (neurotic)
reaction Atypical anxiety disorder

AHA: 10, '02, 6

300.01 Panic disorder without agoraphobia

Panic: Panic:
Attack state

Excludes *panic disorder with agoraphobia (300.21)*

DEF: Neurotic disorder characterized by recurrent panic of anxiety, apprehension, fear or terror; symptoms include shortness of breath, palpitations, dizziness, faintness or shakiness; fear of dying may persist of fear of other morbid consequences.

300.02 Generalized anxiety disorder

300.09 Other

√5th **307.8 Pain disorders related to psychological factors**

307.80 Psychogenic Pain, site unspecified

307.81 Tension headache

headache; NOS (784.0)
Migraine (346.0-346.9)

AHA: N-D, '85, 16

307.89 Other

Code first to type or site of pain
pain disorder exclusively attributed to psychological factors (307.80)
Psychogenic pain (307.80)

√4th **309 Adjustment reaction**

Includes adjustment disorders

Reaction (adjustment) to chronic stress
acute reaction to major stress (308.0-308.9)
neurotic disorders (300.0-300.9)

309.0 Adjustment disorder with depressed mood

Grief Action
affective psychoses (296.0-296.9)
neurotic depression (300.4)
prolonged depressive reaction (309.1)
psychogenic depressive psychosis (298.0)

309.1 Prolonged depressive reaction

affective psychoses (296.0-296.9)

brief depressive reaction (309.0)

neurotic depression (300.4)

psychogenic depressive psychosis (298.0)

v5th 309.2 With predominant disturbance of other emotions

309.21 Separation anxiety disorder

DEF: Abnormal apprehension by a child when physically separated from support environment; byproduct of abnormal symbiotic child-parent relationship.

309.22 Emancipation disorder of adolescence and early adult life

DEF: Adjustment reaction of late adolescence; conflict over independence from parental supervision; symptoms include difficulty in making decisions, increased reliance on parental advice, deliberate adoption of values in opposition of parents.

309.23 Specific academic or work inhibition

309.24 Adjustment disorder with anxiety

309.28 Adjustment disorder with mixed anxiety and depressed mood

Adjustment reaction with anxiety and depression

309.29 Other

Culture shock

309.3 Adjustment disorder with disturbance of conduct

Conduct disturbance Destructiveness – as adjustment reaction

Excludes *destructiveness in child (312.9)*

disturbance of conduct NOS (312.9)

dissocial behavior without manifest psychiatric disorder (V71.01-V71.02)

personality disorder with predominantly sociopathic or asocial manifestations (301.7)

309.4 Adjustment disorder with mixed disturbance of emotions and conduct

v5th 309.8 Other specified adjustment reactions

308.81 Posttraumatic stress disorder

Chronic posttraumatic stress disorder

Concentration camp syndrome

Posttraumatic stress disorder NOS

Post-traumatic stress disorder (PTSD)

Excludes acute stress disorder (308.3)

posttraumatic brain syndrome:

nonpsychotic (310.2)

psychotic (293.0-293.9)

DEF: Preoccupation with traumatic events beyond normal experience; events such as rape, personal assault, combat, natural disasters, accidents, torture precipitate disorder; also recurring flashbacks of trauma; symptoms include difficulty remembering, sleeping, or concentrating, and guilt feelings for surviving.

309.82 Adjustment reaction with physical symptoms

309.83 Adjustment reaction with withdrawal

Elective mutism as adjustment reaction

Hospitalism (in children) NOS

309.89 Other

309.9 Unspecified adjustment reaction

Adaptation reaction NOS
Adjustment reaction NOS

√5th 311 Depressive disorder, not elsewhere classified

Depressive disorder NOS
Depressive state NOS
Depression NOS

Excludes *acute reaction to major stress with depressive symptoms (308.0)*
affective personality disorder (301.10-301.13)
Affective psychoses (296.0-296.9)
brief depressive reaction (309.0)
depressive states associated with stressful events (309.0-309.1)
disturbance of emotions specific to childhood and adolescence, with misery and unhappiness (313.1)
mixed adjustment reaction with depressive symptoms (309.4)
neurotic depression (300.4)
prolonged depressive adjustment reaction (309.1)
psychogenic depressive psychosis (298.0)

AHA: 4Q, '03, 75

√5th 314.0 Attention deficit disorder

Adult
Child

314.00 Without mention of hyperactivity

Predominantly inattentive type

AHA: 10, '97, 8

314.01 With hyperactivity

Combined type
Overactivity NOS
Predominantly hyperactive/impulsive type
Simple disturbance of attention with overactivity

AHA: 10, '97, 8

314.1 Hyperkinesis with development delay

Development disorder of hyperkinesis
Use additional code to identify any associated neurological disorder

314.1 Hyperkinesis with development delay

Developmental disorder of hyperkinesis
Use additional code to identify any associated neurological disorder

314.2 Hyperkinetic conduct disorder

Hyperkinetic conduct disorder without development delay
Excludes hyperkinesis with significant delays in specific skills (314.1)

314.8 Other specified manifestations of hyperkinetic syndrome

314.9 Unspecified hyperkinetic syndrome

Hyperkinetic reaction of childhood or adolescence
NOS
Hyperkinetic syndrome NOS

Notes

Contact Information

Dominion Diagnostics' Billing Department

Contact Dominion's Billing Department:

Toll Free: (800) 511-8427, Press 4

Secure HIPAA Fax: (401) 667-0331

Hours: Monday - Friday, 9 a.m. to 5 p.m. (Eastern Time)



211 Circuit Drive North Kingstown, RI 02852
Toll Free: (877) 734-9600 | **DominionDiagnostics.com**